

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 16/05/2024 Revision date: 16/08/2024 Supersedes version of: 16/05/2024 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : rbs Hydrochloric Acid Cleaner 32%

REACH registration No. : 01-2119484862-27

Product code : 004HCAB
Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use,Industrial use

Use of the substance/mixture : Etching agent

Acidic cleaner

1.3. Details of the supplier of the safety data sheet

Distributor

Resapol Ltd Unit D4, Moss Industrial Estate Leigh, Lancashire WN7 3PT United Kingdom T +44 (0) 800 083 1942

sales@resapol.com - www.resapol.com

1.4. Emergency telephone number

Emergency number : +44 (0) 1942 609001 (office hours only)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1, Sub-Category 1B H314
Specific target organ toxicity – Single exposure, Category 3, H335

Respiratory tract irritation

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

GHS07

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Danger

Contains : Hydrochloric Acid ...%

Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P234 - Keep only in original packaging.

P260 - Do not breathe dust, fume, gas, mist, spray, vapours.

P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, protective clothing, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component

Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Hydrochloric Acid ...% (7647-01-0)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrochloric Acid% (Note U)(Note 5)	CAS-No.: 7647-01-0 EC-No.: 231-595-7 EC Index-No.: 017-002-00-2	30 – 60	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335

Note 5: The concentration limits for gaseous mixtures are expressed as volume per volume percentage.

Note U: When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied

gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:. Press. Gas (Comp.), Press. Gas (Liq.), Press. Gas (Ref. Liq.), Press. Gas (Diss.). Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section

2.3.2.1, Note 2).

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

Tiret aid measures after innection

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Causes severe skin burns and eye damage. May cause immediate skin irritation and

blistering.

Symptoms/effects after eye contact : Causes serious eye burns. Causes serious eye damage.

Symptoms/effects after ingestion : Severe irritation or burns to the mouth, throat, oesophagus, and stomach.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Thermal decomposition generates: Toxic and corrosive vapours may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

16/08/2024 (Revision date) GB - en 3/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Avoid inhalation of dust and contact with skin and eyes. Provide adequate ventilation.

Precautions for safe handling

Ensure good ventilation of the work station. Wear personal protective equipment. Always

wash hands after handling the product.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the $\,$

product

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

Etching agent. Acidic cleaner.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Hydrochloric Acid% (7647-01-0)			
United Kingdom - Occupational Exposure Limits			
Local name Hydrogen chloride			
WEL TWA (OEL TWA)	2 mg/m³ gas and aerosol mists		
	1 ppm gas and aerosol mists		
WEL STEL (OEL STEL)	8 mg/m³ gas and aerosol mists		
	5 ppm gas and aerosol mists		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear respiratory protection. Wear protective gloves. Wear protective clothing. Wear eye protection. Protective goggles.

Personal protective equipment symbol(s):









Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Type Field of application Characteristics Standard			
Combined eye and respiratory protection			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Respiratory protection

Respiratory protection:

Wear respiratory protection.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid : Colourless. Colour Appearance : clear. Odour : odourless. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : 97.7 °C Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available : Not available Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic Solubility : Soluble in water. : Not available 11 @20°C Not available

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 11 @20°C
Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.14 @20°C
Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with (strong) oxidizers.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Gives off hydrogen by reaction with metals. Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Contact with metals produces hydrogen gas which may form explosive mixtures with air. alkalis.

10.5. Incompatible materials

Metals. alkalis.

10.6. Hazardous decomposition products

Thermal decomposition may produce: chlorine. hydrogen.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat
	with constricting sensation of the larynx and difficulty in breathing
Acute toxicity (dermal)	: Causes severe burns
Acute toxicity (inhalation)	: May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat
	with constricting sensation of the larynx and difficulty in breathing

Hydrochloric Acid% (7647-01-0)		
LD50 oral rat	238 mg/kg Source: HSDB	
LD50 dermal rabbit	> 5010 mg/kg Source: ECHA	
LC50 Inhalation - Rat	8.3 mg/l Source: ECHA	
Skin corrosion/irritation : Causes severe skin burns.		
Serious eve damage/irritation	· Assumed to cause serious eve damage	

Serious eye damage/irritation Assumed to cause serious eye damage

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity Not classified Carcinogenicity : Not classified

	Hydrochloric Acid% (7647-01-0)		
IARC group		3 - Not classifiable	
Reproductive toxicity :		Not classified	

STOT-single exposure : May cause respiratory irritation.

Hydrochloric Acid% (7647-01-0)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

The product is not considered harmful to aquatic organisms nor to cause long-term adverse Ecology - general

effects in the environment. : Not classified

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

16/08/2024 (Revision date) GB - en 6/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrochloric Acid% (7647-01-0)		
LC50 - Fish [1]	3.25 – 3.5 mg/l Source: ECHA	
EC50 - Crustacea [1]	4.92 mg/l Source: ECHA	
EC50 72h - Algae [1]	0.73 mg/l Source: ECHA	

12.2. Persistence and degradability

rbs Hydrochloric Acid Cleaner 32%		
Persistence and degradability Not rapidly degradable		
Hydrochloric Acid% (7647-01-0)		
Persistence and degradability Not rapidly degradable		

12.3. Bioaccumulative potential

Hydrochloric Acid% (7647-01-0)	
Partition coefficient n-octanol/water (Log Pow)	0.25 Source: ICSC

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID number						
UN 1789	UN 1789	UN 1789	UN 1789	UN 1789		
14.2. UN proper shippin	14.2. UN proper shipping name					
HYDROCHLORIC ACID	HYDROCHLORIC ACID	Hydrochloric acid	HYDROCHLORIC ACID	HYDROCHLORIC ACID		
Transport document description						
UN 1789 HYDROCHLORIC ACID, 8, II, (E)	UN 1789 HYDROCHLORIC ACID, 8, II	UN 1789 Hydrochloric acid, 8, II	UN 1789 HYDROCHLORIC ACID, 8, II	UN 1789 HYDROCHLORIC ACID, 8, II		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IMDG	IATA	ADN	RID		
14.3. Transport hazard class(es)					
8	8	8	8		
B	8	8	8		
		<u> </u>	<u> </u>		
II	II	II	II		
zards					
Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No		
	B B B B B B B B B B B B B	B 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	B 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C1
Special provisions (ADR) : 520
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T8
Portable tank and bulk container special provisions : TP2

(ADR)

Tank code (ADR) : L4BN
Tank special provisions (ADR) : TU42
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Orange plates : **F**

80 1789

Tunnel restriction code (ADR) : E EAC code : 2R

Transport by sea

Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 : P001 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC02 IBC special provisions (IMDG) : B20 Tank instructions (IMDG) : T8 TP2 Tank special provisions (IMDG) Stowage category (IMDG) : C

Segregation (IMDG) : SGG1, SG36, SG49

Properties and observations (IMDG) : Colourless liquid. An aqueous solution of the gas hydrogen chloride. Highly corrosive to

most metals. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA limited quantity max net quantity (IATA)	:	0.5L
PCA packing instructions (IATA)	:	851
PCA max net quantity (IATA)	:	1L
CAO packing instructions (IATA)	:	855
CAO max net quantity (IATA)	:	30L
Special provisions (IATA)	:	A3, A803
ERG code (IATA)	:	8L

Inland waterway transport

Classification code (ADN) : C1
Special provisions (ADN) : 520
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C1
Special provisions (RID) : 520
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02
Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T8
Portable tank and bulk container special provisions : TP2

(RID)

Tank codes for RID tanks (RID): L4BNSpecial provisions for RID tanks (RID): TU42Transport category (RID): 2Colis express (express parcels) (RID): CE6Hazard identification number (RID): 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Hydrochloric acid	Hydrogen chloride	7647-01-0	2806 10 00	Category 3		Annex I

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acr	onyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:		
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H335	May cause respiratory irritation.	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.