

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

rbs Injection Resin LV - Curing Agent

Revision 1
Revision date 2024-11-07

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product name	rbs Injection Resin LV - Curing Agent		
1.2. Relevant identified uses of t	1.2. Relevant identified uses of the substance or mixture and uses advised against		
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU19] Building and construction work;		
1.3. Details of the supplier of the	safety data sheet		
Company Address	Resapol Ltd Unit D4 Moss Industrial Estate Leigh United Kingdom		
Web Telephone	WN7 3PT www.resapol.com 01942 609 002		
Fax Email Email address of the	01942 674 799 info@resapol.com sales@resapol.com		
competent person 1.4. Emergency telephone numb			
Emergency telephone number	01942 609 001		

Emergency telephone number	01342 003 001
	9.00am - 5.00pm Mon - Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;
1272/2008	

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Revision 1
Revision date 2024-11-07

2.2. Label elements

	P264 - Wash thoroughly after handling.			
	P270 - Do no eat, drink or smoke when using this product.			
	P272 - Contaminated work clothing should not be allowed out of the workplace.			
	P273 - Avoid release to the environment.			
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.			
Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.			
Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.			
	P302+P352 - IF ON SKIN: Wash with plenty of water/ .			
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse			
	skin with water/shower.			
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.			
	P310 -Immediately call a POISON CENTER/doctor/ .			
	P321 - Specific treatment (see on this label).			
	P330 - Rinse mouth.			
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.			
	P363 - Wash contaminated clothing before reuse.			
Precautionary Statement:	P405 - Store locked up.			
Storage				
Precautionary Statement:	P501 - Dispose of contents/container to			
Disposal				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
trimethylhexamethylenediamine		25620-58-0	247-134-8	01-2119560598-25	90 - 100%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;
p-Toluenesulphonic acid (containing a maximum of 5% H2SO4)	016-030-00-2	104-15-4	203-180-0	01-2119538811-39	1 - 10%	Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.	
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
Eye contact	Risk of serious damage to eyes.		
Skin contact	May cause irritation to skin.		
Ingestion	Causes burns. Ingestion may cause nausea and vomiting.		

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).	
Eye contact	Seek medical attention.	
Skin contact	Seek medical attention if irritation or symptoms persist.	

4.3. Indication of any immediate	medical attention and special treatment needed		
Ingestion	Seek medical attention.		
SECTION 5: Firefighting mea	asures		
5.1. Extinguishing media			
	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam, Water. Do NOT use water jet.		
5.2. Special hazards arising from	n the substance or mixture		
	Corrosive. Burning produces irritating, toxic and obnoxious fumes.		
5.3. Advice for firefighters			
	Wear self contained breathing apparatus and protective clothing.		
Further information			
	Dispose of as special waste in compliance with official regulations.		
SECTION 6: Accidental release	ase measures		
6.1. Personal precautions, prote	ctive equipment and emergency procedures		
	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment. Avoid contact with skin and eyes.		
6.2. Environmental precautions			
	Do not allow product to enter drains. Prevent further spillage if safe.		
6.3. Methods and material for co			
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.		
6.4. Reference to other sections			
	See section 8 for further information. See section 13 for further information.		
SECTION 7: Handling and st	orage		
7.1. Precautions for safe handling	g		
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities		
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in original container.		
7.3. Specific end use(s)			
	See section 1.2 for further information.		
SECTION 8: Exposure contro	ols/personal protection		
8.1. Control parameters			
	This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.		
8.2. Exposure controls			
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.		
8.2.2. Individual protection measures	Wear suitable protective clothing.		

Revision 1
Revision date 2024-11-07

8.2. Exposure controls

Eye / face protection	Approved safety goggles.	
Skin protection -	Chemical resistant gloves. Butyl rubber gloves.	
Handprotection		
Skin protection - Other	Wear suitable protective clothing.	
Respiratory protection	Wear suitable respiratory equipment when necessary.	
Occupational exposure	Keep away from food, drink and animal feedingstuffs.	
controls		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid			
Colour	Colourless			
Odour	Characteristic			
Odour threshold	No data available			
pH	11.3			
Melting point	No data available			
Freezing Point	No data available			
Initial boiling point	> 200 °C			
Flash point	108 °C			
Evaporation rate	No data available			
Flammability (solid, gas)	No data available			
Vapour pressure	No data available			
Vapour density	No data available			
Relative density	No data available			
Fat Solubility	No data available			
Partition coefficient	No data available			
Autoignition temperature	No data available			
Viscosity	5 mPas (Cone & Plate)			
Explosive properties	No data available			
Oxidising properties	No data available			
Solubility	Miscible in water			

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic compounds)	0 g/l
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity		
	Stable under normal conditions.	
10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
	Reacts with Acids, Alkalis, Oxidising Agents.	
10.4. Conditions to avoid		

	Revision date 2024-11-07	
10.4. Conditions to avoid		
	Heat.	
10.5. Incompatible materials		
	Strong oxidising agents.	
10.6. Hazardous decomposition products		
	No data is available on this product.	
SECTION 11: Toxicological	information	
11.1. Information on toxicological effects		
Skin corrosion/irritation	Causes burns.	
Serious eye damage/irritation	Risk of serious damage to eyes.	
Respiratory or skin sensitisation	May cause sensitisation by skin contact.	
Germ cell mutagenicity	No mutagenic effects reported.	
Reproductive toxicity	No observed effect level. No teratogenic effects reported.	
11.1.4. Toxicological Information	1	
trimethylhexamethylenediamine	Oral Rat LD50: 910mg/kg	
11.1.13. Other information		
	Swallowing will lead to a strong caustic effect on mouth and throat and danger of perforation of esophagus and stomach.	
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
12.1. Toxicity		
trimethylhexamethylenediamine	Daphnia EC50/48h: 31.5 mg/l Algae IC50/72h: 29.5000 mg/l Fish LC50/96h: 1000.0000 mg/l	
trimethylhexamethylenediamine	Fish LC50/96h: 1000.0000 mg/l	
	Fish LC50/96h: 1000.0000 mg/l	
trimethylhexamethylenediamine 12.2. Persistence and degradab	Fish LC50/96h: 1000.0000 mg/l	
trimethylhexamethylenediamine	Fish LC50/96h: 1000.0000 mg/l ility No data is available on this product.	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT	Fish LC50/96h: 1000.0000 mg/l	
trimethylhexamethylenediamine 12.2. Persistence and degradab	Fish LC50/96h: 1000.0000 mg/l ility No data is available on this product.	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT	Fish LC50/96h: 1000.0000 mg/l ility No data is available on this product.	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT	Fish LC50/96h: 1000.0000 mg/l ility No data is available on this product. Not applicable.	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT 12.3. Bioaccumulative potential	Fish LC50/96h: 1000.0000 mg/l ility No data is available on this product. Not applicable.	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT 12.3. Bioaccumulative potential Partition coefficient	Fish LC50/96h: 1000.0000 mg/l illity No data is available on this product. Not applicable. No data is available on this product. rbs Injection Resin LV - CuriNg data available	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT 12.3. Bioaccumulative potential	Fish LC50/96h: 1000.0000 mg/l illity No data is available on this product. Not applicable. No data is available on this product. rbs Injection Resin LV - CuriNg data available	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT 12.3. Bioaccumulative potential Partition coefficient	Fish LC50/96h: 1000.0000 mg/l ility No data is available on this product. Not applicable. No data is available on this product. rbs Injection Resin LV - CuriNg data available Agent Slightly miscible in water.	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil	Fish LC50/96h: 1000.0000 mg/l ility No data is available on this product. Not applicable. No data is available on this product. rbs Injection Resin LV - CuriNg data available Agent Slightly miscible in water.	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil	Fish LC50/96h: 1000.0000 mg/l ility No data is available on this product. Not applicable. No data is available on this product. rbs Injection Resin LV - CuriNg data available Agent Slightly miscible in water.	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB	Fish LC50/96h: 1000.0000 mg/l illity No data is available on this product. Not applicable. No data is available on this product. rbs Injection Resin LV - Curihty data available Agent Slightly miscible in water. assessment No data is available on this product.	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB and v	Fish LC50/96h: 1000.0000 mg/l illity No data is available on this product. Not applicable. No data is available on this product. rbs Injection Resin LV - CuriNg data available Agent Slightly miscible in water. assessment No data is available on this product. No data is available on this product.	
trimethylhexamethylenediamine 12.2. Persistence and degradab PBT 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB	Fish LC50/96h: 1000.0000 mg/l illity No data is available on this product. Not applicable. No data is available on this product. rbs Injection Resin LV - CuriNg data available Agent Slightly miscible in water. assessment No data is available on this product. No data is available on this product.	

13.1. Waste treatment methods	
	Dispose of in compliance with all local and national regulations.
General information	
	08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS. 08 02 wastes from MFSU of other coatings (including ceramic materials). 08 02 99 wastes not otherwise specified.
Disposal methods	·
	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	
	UN2327
14.2. UN proper shipping name	
	TRIMETHYLHEXAMETHYLENEDIAMINE (MIXTURE)
14.3. Transport hazard class(es)	
ADR/RID Subsidiary risk	8 -
IMDG	8
Subsidiary risk IATA	- 8
Subsidiary risk	0 _
14.4. Packing group	<u> </u>
Packing group	ш
14.5. Environmental hazards	""
Environmental hazards	No
Marine pollutant	No No
14.6. Special precautions for use	
17.0. Openiai prenautione foi use	
	Always transport in closed containers that are upright and secure. Ensure that persons

Revision 1
Revision date 2024-11-07

	1000000 2000 2000
14.6. Special precautions for user	
	transporting the product know what to do in the event of a spillage.
14.7. Transport in bulk accordin	g to Annex II of MARPOL 73/78 and the IBC Code
	For transport approval see regulatory information.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	4 - Eye contact.
	12 - 12.1. Toxicity.
	14 - ADR/RID.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H335 - May cause respiratory irritation.
Maximum content of VOC	0 g/l.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and

Further information	
	belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.